

A check-list of Latvian Gamasina mites (Acari, Mesostigmata) with short notes to their ecology

Ineta Salmane

Institute of Biology, University of Latvia, Miera iela 3, LV-2169, Salaspils, Latvia;
e-mail: incis@email.lubi.edu.lv

Abstract

Salmane I. 2001. A check-list of Latvian Gamasina mites (Acari, Mesostigmata) with short notes to their ecology. - Latv. Entomol. 38: 50-61

Numerous investigations on Gamasina mites (Acari, Mesostigmata) fauna have been made in Latvia during the second half of the 20th century. There were observed and published data on various free-living species and parasites, predators and phytophagous gamasins; from wildlife, as well from greenhouses. Altogether 247 Gamasina species have been registered in the territory of Latvia.

Key words: Gamasina, free-living mites, ectoparasitic mites, phytophagous mites, Latvia.

Introduction

The first investigations of the Latvian Gamasina mites' fauna were made by A. E. Grube in the last century (Grube, 1859). A lot of diverse habitats have been investigated and altogether 247 species recorded ever since more intensive work on Gamasina mites was started in late 1950-s.

Investigations have been started by V. Eglitis (1954, 1972), many works made by I. Lapina (1956; 1959; 1963; 1970; 1971-a; 1971-b; 1973; 1976-a; 1976-b; 1976-c; 1979; 1988), as well several works done in relation to the ectoparasites of small mammals and rodents (Andersone, 1963; Grinbergs, 1959; Grinbergs, 1961-a; Grinbergs, 1961-b; Grinbergs, 1961-c; Grinbergs, 1961-d). Numerous investigations have been done in relation to Gamasina mites of the family Phytoseiidae (Kuznetsov, Petrov 1984; Petrova, Petrov, 1971; Petrova et al., 1997; Petrova et al., 2000; Prieditis, 1966). In addition, B. Kadite (Lithuania) made some investigations on Gamasina fauna of the coastal habitats of Latvia (Eitminavichute, 1976), as well several works were made since 1991 by the author (Melecis et al., 1994; Paulina, Salmane, 1996; Paulina, Salmane, 1999; Petrova et al. 1998; Petrova, Salmane, 2000; Salmane, 1996; Salmane et al., 1999; Salmane, 1999; Salmane, 2000-a; Salmane, 2000-b).

Five Gamasina species (*Parasitus lunulatus*, *P. robustus*, *Lasioseius ometes*, *Dendrolaelaps strenzkei* and *Pachylaelaps dubius*) found by the author and one species

Proctolaelaps bickleyi found by V. Petrova (personal communication) are published for the first time.

List of Gamasina species and notes on their ecology

Family PARASITIDAE Oudemans, 1901

Parasitus (Eugamasus) kraepelini Berlese, 1903 - forests, coastal and inland meadows, bogs, gardens, washed ashore material, *Acer spp.*, dunes.

P. (E.) oudemansi Berlese, 1903 – spruce stands.

P. (E.) loricatus (Wankel, 1861) – mixed forests.

P. (E.) magnus Krämer, 1876 – litter.

P. (E.) lunulatus (Müller, 1859) - gardens

P. (Parasitus) fucorum (De Greer, 1778) – Coleoptera spp., *Bombus spp.*

P. (P.) numismaticus Vitzthum, 1930 – inland meadows.

P. (Vulgarogamasus) remberti (Oudemans, 1912) – spruce forests, inland meadows.

P. (V.) halophilus (Sellnick, 1957) – washed ashore material, coastal meadows, dunes.

P. kempersi Oudemans, 1902 – coastal meadows, washed ashore material, dunes.

P. (Coleogamasus) lunaris Berlese, 1906 – agroecosystems, forests, inland and coastal meadows, washed ashore material.

P. (C.) fimetorum Berlese, 1903 – forests, agroecosystems, inland and coastal meadows, washed ashore material, nests of wild birds.

P. (C.) celer (C. K. Koch, 1835) – agroecosystems, inland and coastal meadows, dunes, spruce stands, bogs, Coleoptera spp.

Gamasodes spiniger (Trägårdh, 1910) – inland meadows, agroecosystems.

G. bispinosus (Halbert, 1915) – washed ashore material

Poecilochirus necrophori Vitzthum, 1930 - inland meadows, agroecosystems, on the Silphidae sp.

P. subterrancus (Müller, 1860) – small mammals.

Holoparasitus excipuliger (Berlese, 1905) – forests, inland and coastal meadows, agroecosystems, bogs, dunes, *Acer spp.*

Pergamasus crassipes (Linnaeus, 1758) - forests, agroecosystems, inland and coastal meadows, bogs, dunes, washed ashore material, *Acer spp.*, nests of wild birds.

P. septentrionalis (Oudemans, 1902) – agroecosystems, forests, calcareous bog, inland and coastal meadows, dunes, bogs.

P. holzmannae Micherdzinsky, 1969 – forests, bogs, *Acer spp.*

P. brevicornis Berlese, 1903 – pine forests.

P. quisquilarum (Canestrini, 1882) – agroecosystems, birch stands.

P. robustus (Oudemans, 1902) – inland meadows, gardens.

P. mirabilis Willmann, 1951 – spruce stands, fields.

P. runcatellus (Berlese, 1903) – spruce stands, pine forests.

P. oxygynelloides Karg, 1968 – pine forests.

P. similis Willmann, 1953 – pine forests.

P. vagabundus Karg, 1968 – forests, agroecosystems, inland and coastal meadows, bogs, washed ashore material, dunes, *Acer spp.*, nests of wild birds.

- P. lapponicus* Trägårdh, 1910 – forests, bogs, agroecosystems, inland and coastal meadows, washed ashore material, *Acer spp.*, dunes.
- P. teutonicus* Willmann, 1956 – forests, coastal and inland meadows, dunes, bogs, agroecosystems, *Acer spp.*
- P. suecicus* (Trägårdh, 1936) – mixed and deciduous forests, beech forest, inland meadows, fields, gardens.
- P. parrunciger* Bhattacharyya, 1963 – inland meadows, deciduous forests.
- P. misellus* Berlese, 1904 – inland meadows.
- P. wasmanni* (Oudemans, 1902) – forests, fields, inland and coastal meadows, dunes, gardens, bogs.
- P. truncus* Schweizer, 1961 – coastal meadows.
- P. robustus* (Oudemans, 1902) - mosses under the walnut-trees, deciduous forest

Family VEIGAIIDAE Oudemans, 1939

- Veigaia nemorensis* (C. L. Koch, 1839) – forests, inland and coastal meadows, washed ashore material, dunes, agroecosystems, bogs, calciferous bog, *Acer spp.*
- V. cervus* (Krämer, 1876) – forests, coastal and inland meadows, dunes, agroecosystems, bogs.
- V. exiqua* (Berlese, 1917) – forests, inland and coastal meadows, agroecosystems, bogs, washed ashore material.
- V. kochi* (Trägårdh, 1901) – mixed and coniferous forests, bogs, calcareous meadow, dunes.
- Gamasolaelaps tuberculatus* Bregetova, 1961 – mixed forests.
- G. excisus* (C. L. Koch, 1879) – coastal and calcareous inland meadows, washed ashore material.

Family AMEROSEIIDAE (Berlese, 1919) Evans, 1961

- Ameroseius corbicula* (Sowerby, 1806) – forests, inland and coastal meadows, fields, bogs.
- A. insignis* Bernhard, 1963 – coastal meadows.
- Epicriopsis horridus* (Krämer, 1876) – mixed forests, agroecosystems, inland and coastal meadows.

Family ACEOSEJIDAE Baker et Wharton, 1952 (sensu Evans, 1958)

- Aceoseius muricatus* (C. L. Koch, 1839) – banks of ditches.
- Neojordensia levis* (Oudemans et Voigts, 1904) – forests, inland and coastal meadows, agroecosystems, washed ashore material, wet habitats, nests of wild birds.
- Lasioseius youcefi* Athias-Henriot, 1959 – agroecosystems, inland and coastal meadows, spruce stands, bogs, mosses, nests of wild birds.
- L. furcisetus* Athias-Henriot, 1959 – mixed and deciduous forests, banks of ditches.
- L. ometes* (Oudemans, 1903) – gardens.
- Lasioseius* nov. spec. (subgenus *Criniacus* Karg, 1980) – washed ashore material.
- Platyseius italicus* (Berlese, 1905) – dunes, bogs.
- Cheiroseius serratus* (Halbert, 1915) – agroecosystems, birch stands, calcareous bogs and meadows, bogs, coastal meadows.
- Ch. borealis* (Berlese, 1904) – coastal and inland meadows, agroecosystems, forests, bogs, washed ashore material, *Acer spp.*, nests of wild birds.

- Ch. necorniger* (Oudemans, 1903) (= *curtipes* (Halbert, 1923) – agroecosystems, calcareous bog, coastal meadows, washed ashore material.
- Ch. viduus* C. L. Koch, 1839 – coastal meadows, dunes.
- Ch. unguiculatus* Berlese, 1887 – coastal meadows.
- Leioseius minusculus* (Berlese, 1905) – coastal and inland meadows, dunes, fields, pine and deciduous forests, nests of wild birds.
- L. montanulus* Hirschmann, 1963 – inland meadows, dunes, pine forests.
- L. bicolor* (Berlese, 1918) – agroecosystems, forests, inland and coastal meadows, washed ashore material, dunes.
- L. (Arctoseius) stammeri* Bernhard, 1863 – fields.
- L. (A.) longispinosus* Hirschmann, 1963 – fields.
- L. (A.) halophilus* (Willmann, 1949) – agroecosystems, washed ashore material, dunes, coastal meadows.
- L. (A.) minutus* (Halbert, 1915) – inland and coastal meadows, agroecosystems, washed ashore material, dunes.
- L. (A.) semiscissus* (Berlese, 1892) – agroecosystems, pine forests, coastal meadows, washed ashore material, dunes.
- L. insignis* Hirschmann, 1963 – inland meadows, dunes, washed ashore material.
- Iphidozercon venustus* (Berlese, 1917) – nests of wild birds, banks of ditches, pine forests.
- Proctolaelaps pygmaeus* (Müller, 1860) – fields, nests of wild birds.
- Melichares juradeus* Schweizer, 1949 – forests.
- Paragarmania dentriticus* (Berlese, 1918) – in the culture of *Aphidius* sp.
- Blattisocius tarsalis* (Berlese, 1918) – in the culture of *Sitotroga* sp.
- Proctolaelaps cyllodi* Samsinak, 1960 – in the culture of *Pleurotus ostreatus*.
- P. bickleyi* (Bram, 1956) - *Fragaria* spp.

Family PHYTOSEIIDAE Berlese, 1916

- Typhlodromus cotoneastri* Wainstein, 1961 – *Malus* spp.
- T. tiliae* Oudemans, 1929 - *Malus* spp., *Rubus* spp., grasses.
- T. timidus* Schuster, 1959 - *Malus* spp.
- Anthoseius rhenans* Oudemans, 1905) - *Malus* spp.
- A. clavatus* Wainstein, 1972 – *Malus* spp., grasses.
- A. caudiglans* (Schuster, 1959) - *Malus* spp., *Rubus* spp., grasses.
- A. rapidus* Wainstein et Arutunjan, 1968 – *Betula* spp., *Quercus* spp.
- Paraseiulus soleiger* (Ribaga, 1902) – wild plants.
- P. incognitus* Wainstein et Arutunjan, 1967 - *Malus* spp.
- Phytseiulus persimilis* Athias-Henriot, 1957 – introduced in greenhouses as predator on various pests.
- Amblyseius finlandicus* (Oudemans, 1915) - *Malus* spp., *Acer* spp., various bushes, litter.
- A. obtusus* C. L. Koch, 1839) – *Pinus* spp., *Acer* spp., *Rubus* spp., *Vaccinium* sp., grasses, litter, washed ashore material, dunes, coastal meadows.
- A. meridionalis* (Berlese, 1914) – *Pinus* spp., *Juniperus communis*, mosses, coastal meadows, dunes.
- A. herbarius* Wainstein, 1960 – *Corylus avellana*, *Fragaria* spp., dunes.
- A. subsolidus* Begljarov, 1960 – *Malus* spp., various plants and trees.

- A. rademacheri* Dosse, 1958 - *Acer spp.*, *Alnus spp.*, *Juniperus communis*, grasses, coastal meadows.
- A. graminis* Chant, 1956 - *Juniperus communis*, grasses, coastal meadows, dunes.
- A. astatus* (Begljarov, 1960) - *Rubus spp.*
- A. okanagensis* (Chant, 1957) - *Rubus spp.*, *Alnus spp.*
- A. messor* Wainstein, 1960 - *Rubus spp.*, *Alnus spp.*, coastal meadows, dunes.
- A. bicaudus* Wainstein, 1962 - *Fragaria spp.*, grasses, dunes, washed ashore material, coastal meadows.
- A. aurescens* Athias-Henriot, 1961 - *Sorbus spp.*, *Fragaria spp.*, coastal meadows, dunes.
- A. zwoelferi* (Dosse, 1957) - *Trifolium spp.*, coastal meadows.
- A. umbraticus* (Chant, 1956) - *Malus spp.*
- A. cucumeris* (Oudemans, 1930) - *Betula spp.*, *Sorbus spp.*, *Fragaria spp.*, grasses, litter.
- A. reductus* Wainstein, 1962 - *Quercus spp.*, coastal meadows.
- A. marginatus* (Wainstein, 1961) - *Sorbus spp.*, *Quercus spp.*, coastal meadows.
- A. levis* Wainstein, 1960 - *Juniperus communis*
- A. agrestis* (Karg, 1960) - *Fragaria spp.*, mosses, dunes, washed ashore material.
- A. marinus* (Willmann, 1952) - washed ashore material, dunes.
- A. andersoni* (Chant, 1957) - dunes.
- A. bakeri* (Hughes, 1948) - dunes.
- Phytoseius macropilis* (Banks, 1904) - *Malus spp.*
- P. salicis* Wainstein et Arutunjan, 1970 - *Acer spp.*, various bushes, grasses.
- P. juvenis* Wainstein et Arutunjan, 1970 - *Malus spp.*, *Prunus spp.*

Family ANTENNOSEIIDAE Karg, 1965

- Antennoseius (Antennoseius) delicatus* Berlese, 1916 - inland and coastal meadows, dunes, pine forests.
- A. (A.) borussicus* Sellnick, 1945 - nests of wild birds, calcareous inland meadows, coastal meadows.
- A. (A.) bacatosimilis* Karg, 1965 - dry inland meadows, dunes.

Family RHODACARIDAE Oudemans, 1902

- Rhodacarus (Rhodacarus) reconditus* Athias-Henriot, 1961 - agroecosystems, mosses, dunes.
- Rh. roseus* Oudemans, 1902 - pine forests.
- Rh. haarlovi* Shcherbak, 1977 - dunes.
- Rh. clavulatus* Athias-Henriot, 1961 - dunes, coastal meadows.
- Rh. mandibularis* Berlese, 1921 - gardens, coastal meadows, dunes.
- Rhodacarellus silesiacus* Wilmann, 1935 - coastal meadows, dunes.
- Minirhodacarellus minimus* (Krag, 1961) - dunes.
- Dendrolaelaps rotundus* Hirschmann, 1960 - pine forests.
- D. trapezoides* Hirschmann, 1960 - washed ashore material.
- D. latior* (Leitner, 1949) - washed ashore material, coastal meadows.
- D. cornutus* (Krämer, 1886) - coastal meadows, dunes.
- D. tenuipilus* Hirschmann, 1960 - coastal meadows, dunes.
- D. nostricornutus* Hirschmann et Wisnewski, 1982 - washed ashore material, dunes.

- D. fallax* (Leitner, 1949) – dunes.
D. zwoelferi Hirschmann, 1960 – pine forests.
D. arenarius Karg, 1971 – dunes, washed ashore material, coastal meadows.
D. foveolatus (Leitner, 1949) – dry inland meadows, coastal meadows, dunes.
D. stammeri Hirschmann, 1960 – coastal meadows.
D. septentrionalis (Sellnick, 1958) – dry inland meadows, dunes.
D. strenzkei Willman, 1957 – gardens.
Dendrolaelaspis angulosus - coastal meadows, dunes.
Asca aphidioides (Linnaeus, 1758) – forests, bogs, coastal meadows.
A. bicornis (Canestrini et Fazago, 1877) – inland and coastal meadows, dunes, bogs, spruce stands, gardens, fields.
Halolaelaps incisus Hyatt, 1956 – washed ashore material, dunes, coastal meadows.
H. balticus Wilmann, 1954 - washed ashore material, dunes, coastal meadows.
H. communis Goetz, in Hirshmann, 1966 - washed ashore material, coastal meadows.
H. marinus (Brady, 1875) - washed ashore material.
Gamasellus montanus (Willmann, 1936) – forests, bogs.
Cyrtolaelaps mucronatus G. et R. Canestrini, 1881 – on small mammals, spruce stands, fields.
C. minor Willmann, 1952 – forests, mosses.
Euryparasitus emarginatus (C. L.Koch, 1839) – forests, bogs, on small mammals.

Family MACROCHELIDAE Vitzthum, 1930

- Macrocheles tardus* (C. L. Koch, 1841) – spruce stands, dunes, washed ashore material, dunes, coastal meadows.
M. merdarius (Berlese, 1889) - nests of wild birds, spruce stand, fields.
M. decoloratus (C. L. Koch, 1839) – Muridae spp., *Corylus avellana*.
M. submotus Falconer, 1924 – deciduous and mixed forests.
M. carinatus (C. L. Koch, 1839) – deciduous forests.
M. montanus Willmann, 1951 – forests, beech forest, gardens, washed ashore material, coastal meadows.
M. rotundiscutis Bregetova et Koroleva, 1960 – *Alnus* spp.
M. glaber (Müller, 1860) – forests, inland and coastal meadows, washed ashore material, dunes agroecosystems, dung, Coleoptera spp., on small mammals, nests of wild birds.
M. nataliae Bregetova et Koroleva, 1960 – Silphidae sp.
Geholaspis (Cyrtocheles) longispinosus (Krämer, 1876) – forests, coastal and inland meadows, dung.
Geholaspis (Longicheles) mandibularis (Berlese, 1904) – birch and beech forests, spruce stands, fields, inland meadows.
Holostaspella ornata (Berlese, 1904) – gardens.
H. subornata Bregetova et Koroleva, 1960 – nests of wild birds, dung, *Alnus* spp.

Family PACHYLAELAPTIDAE Vitzthum, 1931

- Pachyseius humeralis* Berlese, 1910 – mixed forests, inland meadows, dung, agroecosystems.

- Pachylaelaps (Pachylaelaps) pectinifer* (G. et R. Canestrini, 1882) – coastal and inland meadows, mixed forests, bogs.
- P. (P.) littoralis* Halbert, 1915 – fields, forests, inland meadows, *Acer spp.*
- P. (Onchodellus) furcifer* Oudemans, 1903 – mixed and deciduous forests, beech forest, inland and coastal meadows, *Acer spp.*
- P. (O.) sculptus* Berlese, 1921 – inland meadows, forests, beech forest.
- P. (O.) regularis* Berlese, 1921 – fields, inland meadows.
- P. (O.) karawaiewi* Berlese, 1921 – inland meadows.
- Pachylaelaps siculus* Berlese, 1892 – inland meadows.
- P. longisetis* Halbert, 1915 – pine forests, inland meadows.
- P. fuscinuliger* Berlese, 1921 – gardens, deciduous forests.
- P. imitans* Berlese, 1921 – pine forests.
- P. magnus* Halbert, 1915 – coastal meadows.
- P. dubius* Hirschmann et Krauss, 1965 – mosses.

Family LAELAPTIDAE Berlese, 1892

- Eulaelaps stabularis* (C. L. Koch, 1836) – on small mammals, nests of wild birds, fields.
- Hypoaspis (Geolaelaps) heselhausi* Oudemans, 1912 - on small mammals.
- H. (G.) lubrica* Oudemans et Voigts, 1904 - on small mammals, fields.
- H. (G.) aculeifer* (Canestrini, 1883) – forests, agroecosystems, inland and coastal meadows, washed ashore material, dunes.
- H. (G.) angusticutatus* Willmann, 1951 – birch forests, banks of ditches.
- H. (G.) kargi* Costa, 1968 – inland and coastal meadows, forests, gardens, dunes.
- H. (G.) praesternalis* Willmann, 1949 – coastal and inland meadows, dunes, spruce stands, pine forests, dung, bogs, nests of wild birds.
- H. (Stratiolaelaps) miles* Berlese, 1881 – inland meadows.
- H. (Cosmolaelaps) vacua* (Michael, 1891) – inland and coastal meadows, forests, bogs, banks of ditches, gardens, dunes.
- H. (C.) claviger* (Berlese, 1883) – inland meadows, dunes, mosses.
- H. (Gymnolaelaps) austriacus* (Sellnick, 1935) – forests, inland and coastal meadows, dunes.
- Hypoaspis mixta* Scherbak, 1970 – birch forests.
- H. incertus* Bernhard, 1955 – forests, coastal meadows.
- H. heyi* Karg, 1962, var. *latvicus* – inland meadows, banks of ditches, fields, gardens.
- H. rigensis* Lapina, 1976 – pine forests, bogs, inland meadows, mosses
- H. lusisi* Lapina, 1976 – pine forests, spruce stands, dunes.
- H. similisetae* Karg, 1965 – dunes.
- H. krameri* (G. et R. Canestrini, 1881) – *Oryctes nasicornis*.
- H. sclerotarsa* Costa, 1968 – dunes.
- H. (Euandrolaelaps) karawaiewi* (Berlese, 1903) – pine forests, inland meadows, dunes.
- H. (E.) sardous* (Berlese, 1911) – on small mammals.
- Ololaelaps placentula* (Berlese, 1887) – inland and coastal meadows, forests, bogs.
- O. sellnicki* Bregetova et Koroleva, nom. n., 1964 – inland and coastal meadows, bogs, mixed forests, spruce stands.
- O. veneta* (Berlese, 1903) – bogs, mixed forests, inland and calcareous meadows, nests of wild birds.

Laelaspis humerata (Berlese, 1904) - inland meadows, nests of wild birds.

L. astronomicus C. L. Koch, 1839 - inland meadows, dunes, nests of wild birds, pine and mixed forests.

L. markewitschi Pirianyuk, 1959 – mixed and pine forests, coastal meadows.

Laelaps agilis C. L. Koch, 1836 – on small mammals.

L. pavlovskyi Zachvatkin, 1948 - on small mammals.

L. micromydis Zachvatkin, 1948 - on small mammals.

L. muris (Ljung, 1799) - on small mammals, nests of wild birds.

L. clethrionomydis Lange, 1955 - on small mammals.

L. pitymydis Lange, 1955 – Muridae spp.

L. hilaris C. L. Koch, 1836 – on small mammals.

L. multispinosus Banks, 1909 – *Arvicola terrestris*

L. (Hyperlaelaps) amphibius (Zachvatkin, 1948) - *Arvicola terrestris*, Muridae spp.

L. (H.) arvalis (Zachvatkin, 1948) - on small mammals.

Holotaspis montana (Berlese, 1904) – spruce stands.

Alloparasitus oblongus Halbert, 1915 – forests.

Haemolaelaps glasgowi (Ewing, 1925) - on small mammals.

H. semidesertus Bregetova, 1952 - *Arvicola terrestris*

H. casalis (Berlese, 1887) - nests of wild birds, *Ratus spp.*, *Arvicola terrestris*, fields, mixed forests.

Myonyssus decumani Tiraboschi, 1904 - on small mammals.

M. gigas Oudemans, 1912 - on small mammals.

M. rossicus Bregetova, 1956 - on small mammals.

M. ingricus Bregetova, 1956 - on small mammals.

Family EVIPHIDAE Berlese, 1913

Eviphis ostrinus (C. L. Koch, 1836) – *Mycrotus spp.*, forests, gardens, fields, bogs, coastal meadows, washed ashore material, *Acer spp.*

Iphidosoma fimetarium (Müller, 1859) - forests, inland meadows, dung, Carabidae spp.

I. physogastris Karg, 1971 – forests, bogs, coastal meadows.

Alliphis siculus Oudemans, 1905 – fields, gardens, forests, dung, inland and coastal meadows, washed ashore material, Coleoptera spp.

Thinoseius spinosus (Wilmann, 1939) – washed ashore material, dunes, coastal and calcareous meadows, wet mixed forest.

Family HAEMOGAMASIDAE Oudemans, 1926

Haemogamasus pontiger (Berlese, 1914) – Muridae spp.

H. nidi Michael, 1892 - nests of wild birds, on small mammals.

H. hirsutus Berlese, 1889 - on small mammals.

H. hirsutosimilis Willmann, 1952 - on small mammals.

H. horridus Michael, 1892 - on small mammals.

H. ambulans (Thorell, 1872) - nests of wild birds, on small mammals.

Family HIRSTIONYSSIDAE Evans et Till, 1966

Hirstionyssus sciurinus (Hirst, 1921) – Rodentia spp.

- H. talpae* (Zemskaya, 1954) - on small mammals.
H. soricis Turk, 1945 - on small mammals.
H. isabellinus Oudemans, 1913 - on small mammals, fields.
H. musculi (Johnston, 1849) - on small mammals, fields.

Family DERMANYSSIDAE Koleant, 1859

- Dermanyssus gallinae* (Redi, 1674) – nests of wild birds.
D. hirundinis (Hermann, 1804) - nests of wild birds.

Family MACRONYSSIDAE Oudemans, 1936

- Ornithonyssus bacoti* (Hirst, 1913) – on *Mus musculus*

Family SPINTURNUCIDAE Oudemans, 1901

- Spinturnix vespertilionis* Linnaeus, 1758 – on Chiroptera sp.

Family ZERCONIDAE Canestrini, 1891

- Prozercon kochi* Sellnick, 1943 – forests (esp. spruce stand), inland and coastal meadows, bogs, dunes.
P. trägardhi (Halbert, 1923) - nests of wild birds, gardens, spruce stand, coastal meadows, washed ashore material, dunes.
P. sellnicki Halaskova, 1963 – inland and coastal meadows, washed ashore material.
P. sarekensis Willmann, 1939 – forests, bogs, coastal meadows, washed ashore material, dunes.
Zercon zelawaiensis Sellnick, 1944 – forests, inland and coastal meadows, bogs, calcareous bog, dunes.
Z. montanus Willmann, 1953 – spruce stand, pine forests, gardens, dunes, washed ashore material, coastal meadows.
Z. spatulatus C. L. Koch, 1839 – agroecosystems, forests, inland and coastal meadows, dunes, *Acer spp.*
Z. jodathae Sellnick, 1944 – spruce stands.
Z. forsslundi Sellnick, 1958 – forests.
Z. carpathicus Sellnick, 1958 – forests, dunes.
Z. fageticola Halaskova, 1970 – dunes.
Z. (Mixozercon) sellnicki Schweizer, 1948 – coastal and inland meadows.

Kopsavilkums

Kopš pagājušā gadsimta piecdesmitajiem gadiem Latvijā ir veikta virkne pētījumu par gamazīnu ērcu (Acari, Mesostigmata, Gamasina) faunu. Ievākti un publicēti dati gan par brīvi dzīvojošām, gan parazītiskām sugām, par plēsējiem un fitofāģiem; pētījumi veikti visdažādākajos biotopos, kā arī ir dati par siltumnīcās sastopamajām gamazīnu ērcēm. Pašlaik Latvijas faunā zināmas 247 Gamasina grupas ērcu sugas.

References

- Andersone S. 1963. [Ectoparasites of the water-vole in the Latvian SSR]. – *Latv. entomol.*, 7: 45-51 (in Russian).
- Eglitis V. (Эглитис В.К.) 1954. [Soil fauna of the Latvian SSR]. Riga, Publishing House of the Academy of Sciences of Latvian SSR, 1-263 (in Russian).
- Eglitis V. (Эглитис В.К.) 1972. [Soil as a living environment for mites]. - In: Current problems in Acarology, Naukova Dumka, Kiev: 105-115 (in Russian).
- Eitminavichute, I. S. (ed.) 1976. Soil invertebrate fauna of the coastal area in the east Baltic region. Publishing House Mokslas, Vilnius: 1-172 (in Russian).
- Grinbergs A. (Гринбергс А.П.) 1959. [Ectoparasites of the *Clethrionomys glareolus* Schreb. in the Latvian SSR, seasonal dynamics of their species and numbers of specimens]. - Publishing House of the Academy of Sciences of Latvian SSR, 129-132 (in Russian).
- Grinbergs A. (Гринбергс А.П.) 1961a. [Ectoparasites of the water-vole as an epidemiological elements of the tularemia in the Latvian SSR]. - *Latv. entomol.*, 4: 55-70 (in Russian).
- Grinbergs A. (Гринбергс А.П.) 1961b. [Ectoparasites of small rodents in the Latvian SSR and seasonal dynamics of their species and numbers of specimens]. - *Latv. entomol.* 3: 19-34 (in Russian).
- Grinbergs A. (Гринбергс А.П.) 1961d. [*Laelaps agilis* Koch (Acarina, Parasitiformes) as an epidemiological factor in the Latvian SSR]. Publishing House of the Academy of Sciences of Latvian SSR, Riga: 119-124 (in Russian).
- Grinbergs A. 1961c. [Ectoparasites of the *Mus musculus* in relation to some natural disease breeders in Latvia]. - *Latv. entomol.*, 4: 30-38 (in Latvian).
- Grube A.E. 1859. Verzeichnis der Arachnoiden Liv-, Kur- und Ehtlands. - Aus der Archiv fur die Naturkunde Liv-, Kur- und Ehtlands, Dorpat, 45-47.
- Kuznetsov N., Petrov, V. (Кузнецов Н.Н., Петров В.М.) 1984. [Predatory mites of the Baltic Region (Parasitiformes: Phytoseiidae, Acariformes: Prostigmata). Zinatne, Riga, 1-144 (in Russian).
- Lapiņa I. 1956. [Ectoparasites of small rodents in the Latvian SSR]. - Proceedings of the Latvian Academy of Sciences, 9: 111-122 (in Latvian).
- Lapiņa I. (Лapiнiя И.М.) 1959. [Investigations of the ectoparasites of small forest mammals in the Latvian SSR]. - In: Fauna of the Latvian SSR and it's surroundings. Publishing House of the Academy of Sciences of the Latvian SSR, 289-322 (in Russian).
- Lapiņa I. (Лapiнiя И.М.) 1963. [Biology and parasitofauna of small mammals]. Riga, Publishing House of the Academy of Sciences of Latvian SSR, 1-136 (in Russian).
- Lapiņa I. (Лapiнiя И.М.) 1970. [Investigations of Gamasina in the Latvian SSR]. - In: II Acarological Meeting: 276-278 (in Russian).
- Lapiņa I. (Лapiнiя И.М.) 1971a. [Fauna and ecology of the Gamasina mites of the family Zerconidae Berlese, 1892 in the Latvian SSR]. – *Latv. entomol.*, 13: 35-43 (in Russian).
- Lapiņa I. (Лapiнiя И.М.) 1971b. [Investigations of Gamasina mites from the family *Veigaia* Oudemans, 1905 in the Latvian SSR]. - Proceedings of the Latvian Academy of Sciences, 11: 47-51 (in Russian).

- Lapina I. 1973. [Gamasina mites as a component of biocenoses in Latvia]. - Proceedings of the Latvian Academy of Sciences, 5: 55- 61 (in Latvian).
- Lapina I. (Лапина И.М.) 1976a. [Gamasin mites of the family Aceosejidae Baker et Wharton, 1952 in fauna of the Latvian SSR]. – Latv. entomol., 19: 65-90 (in Russian, English summary).
- Lapina I. (Лапина И.М.) 1976b. [Free-living gamasin mites of the family Laelaptidae Berlese, 1892 in fauna of the Latvian SSR]. - Latv. entomol., 19: 20-64 (in Russian with English abstract).
- Lapina I. (Лапина И.М.) 1976c. [Findings of the Gamasina mites from the family Anntenoseius Berlese, 1916 in Latvian SSR]. - Latv. entomol., 19: 91-95 (in Russian with English abstract).
- Lapina I. 1979. [Gamasina mites as a component of bird nests' arthropod fauna in Latvia. – Latv. entomol., 22: 57-72.
- Lapina I. (Лапина И.М.) 1988. [Gamasina mites of Latvia]. Zinatne, Riga 1-198 (in Russian with English summary).
- Melecis V., Spote I., Paulina E., 1994. Soil microarthropods as potential bioindicators for coastal monitoring. - In: Gudelis V., Povilanskas R. & Roepstorff A. (eds.). Abstracts of the International Conference “Coastal conservation and management in the Baltic region”, 111-115.
- Paulina E., Salmane I. 1996. Fauna of free-living gamasin mites (Acari, Gamasina) and springtails (Insecta, Collembola) in biotopes of Engure preserve. - Daba un Muzejs, 6: 67-71.
- Paulina E., Salmane I. 1999. Collembola and gamasin mites of the restricted area Lake Engure, Latvia. - In: Elberg K., Martin M. & Pekkarinen A. (eds.). Proceedings of the XXIV Nordic Congress of Entomology: 145-150.
- Petrova V., Petrov V. (Петрова В.И., Петров В.М.) 1971. [Application of the predatory Phytoseiulus sp. in the control of Tetranychidae mites]. - Proceedings of the Latvian Academy of Sciences, 2: 122-125 (in Russian, English summary).
- Petrova V., Hramejeva A., Steinite I. 1997. Thrips and their natural enemies in greenhouses. - Proceedings of the Latvian Academy of Sciences, 51, 3/41: 176-178.
- Petrova V., Salmane I. 2000. Some mite species from mass-rearing laboratories of commercial mushrooms and beneficial arthropods in Latvia. - Ekológia (Bratislava), 19:3, 211-212.
- Petrova V., Cudare Z., Steinite I. 2000. Seasonal dynamics of predatory mites (Acari: Phytoseiidae) on strawberries in Latvia. Ekológia, Bratislava (accepted).
- Prieditis A. (Приедитис А.И.) 1966. [Impact of pesticides on the orchards' arthropod fauna]. Doctoral Theses. Jelgava, 1-22 (in Russian).
- Salmane I. 1996. Gamasin mites (*Acari, Gamasina*) of Kurzeme coast of the Baltic Sea. – Latv. entomol., 35: 28-34.
- Salmane I., Petrova V., Tenbergs G. 1998. Effect of predatory mite *Blattisocius tarsalis* (Berlese, 1918) (Acari, Mesostigmata, Gamasina) on survival of *Trichogramma* sp. during the process of mass rearing. - In: Brunnhofer V., Soldan T. (eds.). Book of Abstracts, VIth European Congress of Entomology. Academy Of Sciences of the Czech Republic and University of South Bohemia, Ceske Budejovice: 396.

- Salmane I. 1999. Soil free-living predatory Gamasina mites (Acari, Mesostigmata) from the coastal meadows of Riga Gulf, Latvia. - *Latv. entomol.*, 37: 104-114.
- Salmane I., Melecis V., Paulina E. 1999. Soil collembola (Insecta) and Gamasina (Acari) of salty coastal meadows of Latvia. - In: Elberg K., Martin M. & Pekkarinen A. (eds.). *Proceedings of the XXIV Nordic Congress of Entomology*: 157-162.
- Salmane I. 2000a. Investigations of the seasonal dynamics of Gamasina mites (Acari, Mesostigmata) in the pine forests of Latvia. - *Ekológia (Bratislava)*, 19, N3: 245-252.
- Salmane I. 2000b. The soil-dwelling predatory Gamasina mite (Acari, Mesostigmata) fauna of seashore habitats on the Kurzeme Coast of Latvia. - *Ekológia (Bratislava)*, 19, N4, 87-96.

Received: April 4, 2000.

Short notes

First record of *Pseudogonalos hahnii* (Spinola, 1840) (Pseudogonalidae) in Latvia.

Johan Abenius, Voldemārs Spuņģis

One female specimen was collected by Z.Spuris in the grassland near town Salaspils, Riga district in July 7, 1981. The species was identified by J.Abenius (Naturvårdsverket Miljöövervakningsenheten, S-106 48, Stockholm, Sweden). This is interesting record as species is extremely rare and known from Europe and parts of Asia including Siberia. *P. hahnii* lays eggs on the exterior of foliage and has been reared from *Diprion similis* (Diprionidae) and ichneumonids parasiting Lepidoptera (Bischoff, 1936; 1938).

References

- Bischoff H. 1936. Beiträge zur Lebensgeschichte der *Pseudogonalos hahnii* (Spin.). – *Sitzungsber. Ges. Naturforsch. Freunde Berlin*: 51-63.
- Bischoff H. 1938. Trigonalidae. – *Hymenopterorum Catalogus*, 5: 1-18.

Received: September 22, 2000.