

## SPECIES TO BE EXCLUDED

(compiled by Dmitry Telnov; state: 25.I.2010)

### Staphylinidae

*Stenus mendicus* Erichson, 1840 (misidentification of *S. morio* Gravenhorst).

### Chrysomelidae

*Entomoscelis adonidis* (Pallas, 1771) (an old unconfirmed record)

*Timarcha tenebricosa* (Fabricius, 1775) (an old unconfirmed record)

*Galeruca dahlii* (Joannis, 1866) (misidentification)

*Luperus luperus* (Sulzer, 1776) (misidentification)

*Chaetocnema compressa* (Letzner, 1847) (misidentification)

*Crepidodera lamina* (Bedel, 1901) (misidentification)

*Aphthona cyparissiae* (Koch, 1803) (misidentification)

*Batophila fallax* Weise, 1888 (misidentification)

*Dibolia timida* (Illiger, 1807) (misidentification)

*Psylliodes cupreata* (Duftschmid, 1825) (misidentification)

*Psylliodes reitteri* Weise, 1888 (misidentification)

*Cassida atrata* Fabricius, 1787 (misidentification)

*Cassida subreticulata* Suffrian, 1844 (misidentification)

## NEW SPECIES RECORDS FOR LATVIA

(compiled by Dmitry Telnov; state: 10.I.2010)

### Carabidae

*Bembidion (Philochtus) inoptatum* Schaum, 1857

Note: Discovered in eastern Latvia (Gulbene env.) in May, 2005. North border of main distribution area.

*Bembidion (Ocydromus) obscurellum obscurellum* Motschulsky, 1845

Note: Discovered in central Latvia (Kandava env.) in June, 2005. North border of main distribution area.

*Bembidion (Emphanes) minimum* (Fabricius, 1792)

Note: Found in eastern Latvia (Gulbene env.) in May, 2003. North border of main distribution area.

*Tachys (Paratachys) micros* Fischer-Waldheim, 1828

Note: Found in central Latvia (Rīga city) in May, 2003. North border of main distribution area.

*Dolichus halensis* (Schaller, 1783)

Note: Discovered in central Latvia in 2009 (Salaspils env.). North border of main distribution area.

*Harpalus honestus honestus* (Duftschmid, 1812)

Note: First collected in S Latvia (Auce) in 1940. Omitted by all previous authors.

*Harpalus modestus* Dejean, 1829

Note: First published for Latvia in 2008.

*Dromius laeviceps* Motschulsky 1850

Note: Discovered in E Latvia (River Pededze valley) in 2006.

### Dytiscidae

*Hydroporus scalesianus* Stephens, 1828

Note: Discovered from several sites in eastern and central Latvia in 2005.

*Hydaticus continentalis* Balfour-Browne, 1944

Note: First found in Latvia in June, 2005.

### Scydmaenidae

*Euconnus pubicollis* (Müller et Kunze, 1822)

Note: First collected in central Latvia (Mežotne env.) in 2006.

*Euconnus rutilipennis* (Müller, Kunze, 1822)

Note: Found in N Latvia (Sedas bog) in May/June, 2003.

## **Leiodidae**

*Leiodes obesa* (Schmidt, 1841)

Note: Found in NE Latvia (Randu coastal meadows) in June, 2000.

*Leiodes oblonga* (Erichson, 1845)

Note: First collected in central Latvia (Rīga city) in 2008.

*Agathidium pisanum* Brisout de Barneville, 1872

Note: Found in central Latvia (Cekule vill.) in May, 2003. Since that found on several places in the country.

## **Histeridae**

*Hister funestus* Erichson, 1834

Note: Discovered in central Latvia in 2005.

## **Colonidae**

*Colon puncticolle* Kraatz, 1850

Note: First found in surroundings of Riga in 2006.

## **Cholevidae**

*Choleva spinipennis* Reitter, 1890

Note: Found in central Latvia (Rīga city) in June, 2004.

*Ptomaphagus sericatus* (Chaudoir, 1845)

Note: Found in central Latvia in 2005.

## **Corylophidae**

*Clypastraea pusilla* (Gyllenhal, 1810)

Note: More than 100 years old record from central Latvia (vicinities of Rīga) omitted by the author of the "Check-List".

## **Hydrophilidae**

*Laccobius albipes* Kuwert, 1890

Note: Collected in NW Latvia in 2005.

*Laccobius decorus* (Gyllenhal, 1827)

Note: Found in central Latvia in 2005.

*Laccobius sinuatus* Motschulsky, 1849

Note: Found in central Latvia in 2005.

*Helochares punctatus* Sharp, 1869

Note: Collected in central Latvia in 2005.

*Cryptopleurum subtile* Sharp, 1884

Note: Discovered in central Latvia in 2005.

• *Hydrochara flavipes* (Steven, 1808)

Note: More than 100 years old unconfirmed record.

*Paracymus aeneus* (Germar, 1824)

Note: First found in W Latvia (Talsi env.) in 2009.

## **Helophoridae**

*Helophorus (Rhopalohelophorus) arvernicus* Mulsant, 1846

Note: Found in central Latvia (Sigulda env.) in June, 2005.

*Helophorus (Rhopalohelophorus) croaticus* Kuwert, 1886

Note: Discovered in central and eastern Latvia in 2005.

*Helophorus pumilio* Erichson, 1837

Note: Discovered in E Latvia in 2005.

## **Hydrochidae**

*Hydrochus megaphallus* Berge Henegouwen, 1988

Note: Discovered from two sites in eastern Latvia in 2005.

## **Hydraenidae**

*Limnebius aluta* Bedel, 1881

Note: Found in eastern Latvia (Rēzekne env.) in May, 2005.

*Limnebius atomus* (Duftschmid, 1805)

Note: Discovered in central Latvia in 2005.

*Hydraena britteni* Joy, 1907

Note: Found in central Latvia in 2005.

*Hydraena flavipes* Sturm, 1836

Note: Discovered in central Latvia in 2005.

*Ochthebius bicolon* Germar, 1824

Note: Discovered in central Latvia in 2005.

*Ochthebius flavipes* Dalla Torre, 1877

Note: Collected in central Latvia in 2005.

*Ochthebius hungaricus* Endrödy-Younga, 1967

Note: Discovered in central Latvia in 2005.

## **Ptiliidae**

*Ptenidium fuscicorne* Erichson, 1845

Note: Collected in central Latvia in 2005.

*Ptenidium punctatum* (Gyllenhal, 1827)

Note: Found in central Latvia in 2005.

*Actidium reticulatum* Besuchet, 1971

Note: Found in N Latvia in 2005.

*Ptinella limbata* (Heer, 1841)

Note: Discovered in N Latvia (Mazsalaca env.) in 2006.

*Ptinella tenella* (Erichson, 1845)

Note: Found in central Latvia (Garupe) in 2005.

*Euryptilium saxonicum* (Gillmeister, 1845)

Note: First collected in central Latvia (Tumšupe env.) in 2008.

*Baeocrara variolosa* (Mulsant, Rey, 1867)

Note: Discovered in different parts of the country in 2005.

*Acrotrichis insularis* (Mäklin, 1852)

Note: Found in E Latvia (Gulbene env.) in 2005.

*Acrotrichis rosskotheni* Sundt, 1971

Note: Discovered in different parts of the country in 2005.

*Acrotrichis rugulosa* Rosskothén, 1935

Note: First collected in N Latvia (Tūja env.) in 2007.

*Acrotrichis silvatica* Rosskothén, 1935

Note: Discovered in central Latvia (Tumšupe env.) in 2008.

## **Staphylinidae**

*Neobisnius lathrobioides* (Baudi, 1848)

Note: Found in central Latvia in 2005.

*Philonthus furcifer* Renkonen, 1937

Note: Collected in East part of Latvia (Dunava env.).

*Philonthus nitidicollis* (Lacordaire, 1835)

Note: Collected in SE part of Latvia.

*Philonthus spinipes* Sharp, 1874

Note: Collected in SE part of Latvia.

*Gabrius expectatus* Smetana, 1952

Note: Collected in SE part of Latvia.

*Quedius persimilis* Mulsant, Rey, 1876

Note: Collected in SE part of Latvia.

*Quedius scintillans* (Gravenhorst, 1806)

Note: Collected in SE part of Latvia.

*Othius volans* J.Sahlberg, 1876

Note: First found in W Latvia (Irbene vill.) in 2006.

*Lithocharis nigriceps* Kraatz, 1859  
Note: First discovered in N part of Latvia in 2008.

*Bryoporus cernuus* (Gravenhorst, 1806)  
Note: Found in West part of Latvia (Moricsala State reserve) in 2002 and 2003.

*Stenus formicetorum* Mannerheim, 1843  
Note: Collected in E Latvia in 2005.

*Stenus fossulatus* Erichson, 1840  
Note: Discovered in NW Latvia (Slīteres NP) and in central Latvia (Sigulda) in June, 2005.

*Stenus glabellus* Thomson, 1870  
Note: Collected in central Latvia in 2005.

*Mycetoporus bimaculatus* Lacordaire, 1835  
Note: Found in 2002.

*Sepedophilus marshami* (Stephens, 1832)  
Note: Found in central Latvia (Cekule vill. env.) in July, 2004. North border of main distribution area.

*Tachinus schneideri* Luze, 1900  
Note: Found in 2003.

*Tachyporus formosus* Matthews, 1838  
Note: Found in NE Latvia.

*Tachyporus tersus* Erichson 1839  
Note: Discovered in N Latvia (Ainaži vill.) in 2007.

*Astenus lyonessius* (Joy, 1908)  
Note: Found in central Latvia (Cekule vill. env.) in July, 2004. North border of main distribution area.

*Lathrobium rufonitidm* Reitter, 1909  
Note: Collected in central Latvia in 2005.

*Omalius septentrionis* Thomson, 1857  
Note: Found in eastern Latvia (Gulbene env.) in June, 2003.

*Eucnecosum brachypterum* (Gravenhorst, 1802)  
Note: Found in eastern Latvia (Gulbene env.) in 2005.

*Anotylus clavatus* (Strand, 1946)  
Note: Collected in SW Latvia (Pape vill.) in 2005.

*Thinodromus arcuatus* (Stephens, 1834)  
Note: Found in central Latvia in 2005.

*Carpelimus obesus* (Kiesenwetter, 1844)  
Note: First collected in Central Latvia (Ulbroka env.) in 2007.

*Carpelimus similis* (Smetana, 1966)  
Note: Found in central Latvia in 2005.

*Carpelimus subtilis* (Erichson, 1839)  
Note: Found in central Latvia in 2005. North border of main distribution area.

*Megarthritis sinuaticollis* (Lacordaire, 1835)  
Note: Omitted species in the catalogue (Telnov, 2004).

*Gyrophypnus liebei* Scheerpeltz, 1926  
Note: First discovered in vicinities of Rīga in 2008.

*Xantholinus audrasi* Coiffait, 1956  
Note: First discovered from several localities in E Latvia.

*Bledius annae* Sharp, 1911  
Note: Found in central Latvia in 2005.

*Bryophacis rufus* (Erichson, 1839)  
Note: Collected in central Latvia (Ādaži surrounding) in 2007.

*Aleochara moesta* Gravenhorst, 1802  
Note: Collected in central and eastern Latvia in 2005.

*Aleochara stichai* Likovsky, 1965  
Note: Collected in NE Latvia in 2006.

*Gyrophæna joyioides* Wüsthoff, 1937  
Note: Discovered in central Latvia in 2005.

*Gyrophæna munsteri* Strand, 1935  
Note: Collected in central Latvia in 2005.

*Gyrophana strictula* Erichson, 1839  
Note: Discovered in central Latvia in 2005.

*Thyasophila inquilina* (Märkel, 1842)  
Note: Found in central Latvia (Rīga city) in 2008.

*Meotica exilis* (Knoch, 1806)  
Note: Found in central and N Latvia in 2005.

*Meotica pallens* (Redtenbacher, 1849)  
Note: Collected in Ādaži NATURA2000 territory in 2006.

*Meotica finnmarkia* G.Benick, 1953  
Note: Found in central Latvia in 2005.

*Gnypeta carbonaria* (Mannerheim, 1830)  
Note: Found in central Latvia in 2005.

*Gnypeta coerulea* (Sahlberg, 1831)  
Note: Found in central Latvia (Cekule vill.) in June, 2004.

*Oxypoda bicolor* Mulsant, Rey, 1853  
Note: First found in 2005 in E Latvia (Gulbene district).

*Oxypoda procerula* Mannerheim, 1830  
Note: Found in 2003.

*Oxypoda rufa* Kraatz, 1856  
Note: Collected in Central Latvia (Ulbroka env.) in 2007.

*Oxypoda soror* Thomson, 1855  
Note: Found in 2002.

*Oxypoda vicina* Kraatz, 1856  
Note: Found in 2003.

*Ilyobates bennetti* Donisthorpe, 1914  
Note: Collected in central and northern Latvia in 2006.

*Dochmonota clancula* (Erichson, 1837)  
Note: Discovered in central and E Latvia in 2005.

*Hydrosmeeta longula* (Heer, 1839)  
Note: Discovered in central Latvia in 2005.

*Schistoglossa aubei* (Brisout de Barneville, 1860)  
Note: Collected in central Latvia 2005.

*Schistoglossa curtipennis* (Sharp, 1869)  
Note: Discovered in central and N Latvia 2005.

*Schistoglossa viduata* (Erichson, 1837)  
Note: Discovered in central Latvia 2005.

*Aloconota insecta* (Thomson, 1856)  
Note: Collected in central Latvia 2005.

*Aloconota sulcifrons* (Stephens, 1832)  
Note: Collected in central Latvia 2005.

*Devia prospera* (Erichson, 1837)  
Note: Found in 2003.

*Phloeopora concolor* Kraatz, 1856  
Note: Found in 2003.

*Dasygnypeta velata* (Erichson, 1837)  
Note: Found in 2003.

*Alaobia pallidicornis* (Thomson, 1856)  
Note: Collected in NW and central Latvia in 2005.

*Atheta (Mocyta) negligens* (Mulsant, Rey, 1873)  
Note: Found in central Latvia (Cekule vill. env.) in July, 2004. North border of main distribution area.

*Atheta (Phylhygra) debilis* (Erichson, 1837)  
Note: Found in SE Latvia in 2005.

*Atheta (Phylhygra) hygrobica* (Thomson, 1856)  
Note: Found in SE Latvia in 2005.

*Atheta (Phylhygra) gyllenhalii* (Thomson, 1856)  
Note: Found in SE and central Latvia in 2005.

*Atheta (Phylhygra) malleus* Joy, 1913

Note: Found in SE Latvia in 2005.

*Atheta (Phylhygra) palustris* (Kiesenwetter, 1844)

Note: Found in W Latvia (Puze vill.) in August, 2004.

*Atheta (Phylhygra) ripicola* Hanssen, 1932

Note: Found in SE Latvia in 2005.

*Atheta aquatica* (Thomson, 1852)

Note: Discovered in NW Latvia (Slīteres NP) in August, 2004.

*Atheta autumnalis* (Erichson, 1839)

Note: Found in NE Latvia (Randu coastal meadows) in 2004.

*Atheta britanniae* Bernhauer, Scheerpeltz, 1926

Note: Discovered in 2005 in eastern Latvia (Gulbene district).

*Atheta fungicola* (Thomson, 1852)

Note: Found in central Latvia in 2005.

*Atheta harwoodi* Williams, 1930

Note: Discovered in 2005 in E and NE Latvia.

*Atheta hypnorum* (Kiesenwetter, 1850)

Note: Found in 2003.

*Atheta incognita* (Sharp, 1869)

Note: Collected in SE part of Latvia.

*Atheta liturata* (Stephens, 1832)

Note: Discovered in central Latvia (Sigulda) in June, 2005.

*Atheta nigra* (Kraatz, 1856)

Note: Found in 2003.

*Atheta paracrassicornis* Brundin, 1954

Note: Collected in NE Latvia in 2006.

*Atheta strandiella* Brundin, 1954

Note: Found in 2003.

*Microdota indubia* (Sharp, 1869)

Note: Discovered in Central Latvia (Koknese env.) in 2006.

*Acrotona exigua* (Erichson, 1837)

Note: Collected in Central Latvia in 2006 & 2008.

*Acrotona convergens* (Strand, 1958)

Note: Collected in central Latvia in 2005.

*Acrotona obfusata* (Gravenhorst, 1802)

Note: Discovered in central and northern Latvia in 2005.

*Xenota myrmecobia* (Kraatz, 1856)

Note: Discovered in 2005 in E Latvia (Gulbene district).

*Alianta incana* (Erichson, 1837)

Note: Collected in central Latvia in 2005.

*Pachnida nigella* (Erichson, 1837)

Note: Discovered in E and SE parts of Latvia in 1995 and 1999.

*Amischa decipiens* (Sharp, 1869)

Note: Found in 2002.

*Amischa nigrofusca* (Stephens, 1832)

Note: Found in 2002.

*Oligota pumilio* Kiesenwetter, 1858

Note: Found in 2002.

*Oligota punctulata* Heer, 1839

Note: Found in 2002.

*Thinobius flagellatus* Lohse, 1984

Note: Collected in NW Latvia in 2005.

*Cypha suecica* (Palm, 1935)

Note: Discovered in central Latvia in 2005.

*Myllaena gracilis* (Matthews, 1838)

Note: Discovered in E Latvia in 2005.

*Myllaena kraatzi* Sharp, 1871

Note: Found in 2003.

*Micropeplus longipennis* Kraatz, 1859

Note: Found in N Latvia in 2005.

*Euasthetus laeviusculus* Mannerheim, 1844

Note: Collected in central Latvia in 2005.

*Holobus apicatus* (Erichson, 1837)

Note: Found in Central Latvia (Ogre) in 2006.

*Phyllocrepa puberula* Bernhauer, 1903

Note: Discovered in Central Latvia (Ogre env.) in 2006.

*Dacrila fallax* (Kraatz, 1856)

Note: First collected in W Latvia (Mērsrags vill.) in 2006.

## **Pselaphidae**

*Euplectus nanus* (Reichenbach, 1816)

Note: Found in 1999.

*Batrisodes adnexus* (Hampe, 1863)

Note: Collected in NW Latvia in 2005.

*Batrisodes hubenthalii* Reitter, 1913

Note: Found in central Latvia (Cekule vill.) in May, 2003.

*Bythinus macropalpus* Aubé, 1833

Note: Found in central Latvia (Cekule vill.) in May, 2003.

*Bryaxis clavicornis* (Panzer, 1805)

Note: Collected in central Latvia in 2005.

*Bibloporus minutus* Raffray, 1914

= *hoeglundi* Palm, 1948

Note: Found in E Latvia (River Pededze valley) in 2006.

*Trichonyx sulcicollis* (Reichenbach, 1816)

Note: Collected in central Latvia (Melbārži vill.) in 2008. The North border of main distribution area.

## **Clambidae**

*Clambus nigrellus nigrellus* Reitter, 1914

Note: Found in central Latvia in 2005.

## **Byrrhidae**

*Simplocaria maculosa* Erichson, 1847

Note: Discovered in central Latvia in 2005.

## **Dermestidae**

*Dermestes bicolor* Fabricius, 1791

Note: Found in South Latvia (Jelgava) in November, 2004.

*Reesa vespulae* (Milliron, 1939)

= *vespula* (Spencer, 1948)

Note: Found in Latvia in several places in the Rīga city in June, 2004. Imported species.

*Megatoma graeseri* (Reitter, 1887)

Note: Found in central Latvia (Cēsis env.).

*Anthrenus (Florilinus) caucasicus* Reitter, 1881

Note: Omitted species, first mentioned for Latvia in 1941.

*Anthrenus (Nathrenus) verbasci* (Linnaeus, 1767)

Note: Known from single locality in SE Latvia (Silene env.).

## **Lycidae**

*Platycis cosnardi* (Chevrolat, 1829)

Note: First published for Latvia in 2008.

## **Elateridae**

*Ampedus vandalitae* Lohse, 1976

Note: Collected in SE part of Latvia.

*Ampedus bouweri* Schimmel, 1984

Note: Collected in SE part of Latvia.

*Ampedus nemoralis* Bouwer, 1980

Note: Collected in SE part of Latvia.

*Calambus bipustulatus* (Linnaeus, 1767)

Note: Re-discovered in E Latvia (river Pededze valley) in May, 2005.

*Adrastus lacertosus* Erichson, 1841

Note: Found in central Latvia (Gaujas NP, Sigulda) in July, 2004. North-West border of main distribution area.

### **Throscidae**

*Trixagus meybohmi* Leseigneur, 2005

Note: Found in Central Latvia (Jēkabpils) in August, 2006. New to the Eastern Europe, Fennoscandia and Baltia. North-East border of main distribution area.

### **Anobiidae**

*Grynobius planus* (Fabricius, 1787)

= *excavatus* (Kugelann, 1792)

= *tricolor* (Olivier, 1790)

Note: Discovered in E Latvia (river Pededze valley) in July, 2005.

*Xyletinus hanseni* Jansson, 1947

Note: Found in SW Latvia (Liepāja env.) in June, 2005.

*Dorcatoma lomnickii* Reitter, 1903

Note: Collected in E Latvia (river Pededze valley) in July, 2006.

### **Cantharidae**

*Malthinus seriepunctatus* Kiesenwetter, 1851

Note: Found in NW Latvia (Slīteres NP at Slītere vill.) in July, 2004. North border of main distribution area.

### **Dasytidae**

*Aplocnemus (Aplocnemus) impressus* (Marsham, 1802)

Note: Discovered in 1999 and 2002 in Central (Garupe, Rīga Gulf dunes) and NW (Slīteres NP) Latvia

### **Kateretidae**

*Kateretes dalmatinus* (Sturm, 1844)

Note: Found in E Latvia. The North border of main distribution area.

### **Nitidulidae**

*Epuraea (Micruria) melanocephala* (Marsham, 1802)

= *affinis* Stephens, 1830

= *brunnea* Heer, 1841

= *discolor* Waltl, 1838

= *ferruginea* Heer, 1841

= *truncata* Stephens 1830

Note: Found in central Latvia (Cekule vill.) in July, 2004.

*Glischrochilus (Librodor) quadrisignatus* (Say, 1835)

Note: Found in central Latvia (Cekule vill.) in June, 1998, and identified in 2005.

### **Cucujidae**

*Pediacus depressus* (Herbst, 1794)

Note: Found in Central Latvia (Dole island) in 2007. The North border of main distribution area.

### **Cryptophagidae**

*Cryptophagus (Cryptophagus) confusus* Bruce, 1934

Note: Discovered in N Latvia (Valmiera district) in June, 2005.

*Cryptophagus denticulatus* Heer, 1841

Note: Found in E Latvia (Rēzekne env.) in July, 2006.

*Cryptophagus quercinus* Kraatz, 1852

Note: Discovered in E Latvia (river Pededze valley) in May, 2005.

*Cryptophagus (Cryptophagus) setulosus* Sturm, 1845

Note: Found in central Latvia (Cēsis city, Gaujas NP) in June, 2004, and identified in 2005.

*Atomaria elongatula* Erichson, 1846

Note: Discovered in N Latvia (Staicele env.) in July, 2003.

### **Laemophloeidae**

*Cryptolestes testaceus* (Fabricius, 1792)

Note: Omitted species in the catalogue (Telnov, 2004), first mentioned for Latvia in 1941.

*Cryptolestes turcicus* (Grouvelle, 1876)

Note: Omitted species, first mentioned for Latvia in 1941.

### **Phalacridae**

*Phalacrus dieckmanni* Vogt, 1967

= *grossus* Erichson, 1845

Note: Found in central Latvia (Cekule vill.) in September, 2004, and identified in 2005.

*Phalacrus nigrinus* Marsham, 1802

Note: Found in central Latvia in 2005.

### **Latridiidae**

*Melanopthalma suturalis* (Mannerheim, 1844)

Note: Discovered in July, 2004 in extreme S of the country (Bauska env.).

### **Ciidae**

*Orthocis lucasi* (Abeille de Perrin, 1874)

Note: Discovered in Latvia in 2005. The North border of main distribution area.

### **Oedemeridae**

*Oedemera subrobusta* (Nakane, 1954)

Note: Found in different parts of Latvia, first published in 2008.

### **Mordellidae**

*Curtimorda bisignata* (Redtenbacher, 1849)

Note: First found in Latvia in 2005. The North border of main distribution area.

### **Tenebrionidae**

*Blaps lethifera lethifera* Marsham, 1802

Note: Found in central Latvia (Rīga city) in April, 1997, and identified in 2005. Imported species.

*Corticeus fasciatus* (Fabricius, 1790)

Note: Discovered in W Latvia (Raķupe PNT) in May, 2006.

### **Cerambycidae**

*Leiopus linnei* Wallin, Nylander et Kvamme, 2009

Note: Very common and widespread species in Latvia.

*Ropalopus (Ropalopus) macropus* (Germar, 1824)

Note: Re-discovered in Latvia in June, 2004. Known from a single locality in extreme S of the country. The North border of main distribution area.

*Monochamus saltuarius* Gebler, 1830

Note: Discovered in Latvia in June, 2004. Known from a single locality in Central Latvia.

*Aegomorphus wojtylai* Hilszczański, Bystrowski, 2005

Note: Found in E Latvia in 2005.

### **Chrysomelidae**

*Cryptocephalus solivagus* Leonardi, Sassi, 2001

Note: First found in Central Latvia in 2008.

*Chrysolina coerulans coerulans* (Scriba, 1791)

Note: First found in extreme SE Latvia (Ilgas vill. env.) in 1991.

*Altica impressicollis* (Reiche, 1862)

Note: Collected in central Latvia (Sigulda) in 2003. The North border of main distribution area.

*Argopus nigritarsis* (Gebler, 1823)

Note: First found in SE Latvia (Rēzekne env.) in 2007. The North border of main distribution area.

*Hermaeophaga mercurialis* (Fabricius, 1792)

Note: First found in SE Latvia (Daugavpils env.) in 2007. The North border of main distribution area.

*Longitarsus kutscherai* (Rye, 1872)

Note: Found in central Latvia (Ulbroka env.) in 2004.

*Aphthona atrocaerulea* (Stephens, 1831)

Note: Discovered in E Latvia in 2009.

### **Anthribidae**

*Tropideres albirostris* (Herbst, 1783)

Note: Found in central Latvia (Sabile env.) in June, 2005.

*Araecerus fasciculatus* DeGeer, 1775

Note: Omitted species in the catalogue (Telnov, 2004), first mentioned for Latvia in 1941.

### **Apionidae**

*Omphalapion buddebergi* (Bedel, 1887)

Note: First found in Latvia in 2005 xeric habitats near of Rēzekne (E Latvia).

*Diplapion detritum* (Mulsant, Rey, 1858)

Note: Collected in 2005 on several places from xeric habitats in E and SE Latvia.

*Apion ononis* Kirby, 1808

Note: Found in 2005 on numerous localities in central, western and eastern Latvia.

*Apion oblivium* Schilsky, 1902

Note: Collected in June, 2005 in the Gaujas NP near Sigulda (central Latvia).

*Catapion meieri* (Desbrochers, 1899)

Note: Collected on different places in E and central Latvia in 2005.

*Eutrichapion melancholicum* (Wencker, 1864)

Note: Found in June, 2005 on few sites in E and NW Latvia.

*Eutrichapion punctigerum* (Paykull, 1792)

Note: Found in May, 2005 on two sites in E Latvia.

### **Curculionidae**

*Sitophilus zeamais* (Motschulsky, 1855)

Note: Omitted species, first mentioned for Latvia in 1941.

*Sitona cinerascens* (Fåhraeus, 1840)

Note: Found in Central Latvia (lake Engures) in July, 2004.

*Sitona gressorius* (Fabricius, 1792)

Note: Discovered in central Latvia (Silciems) in June, 2005.

*Cyphocleonus trisulcatus* (Herbst, 1795)

Note: Found in SW Latvia (Liepāja env.) in June, 2005.

*Hypera denominanda* (Capiomont, 1868)

Note: Discovered in central Latvia (Silciems) in June, 2005.

*Tanysphyrus ater* Blatchley, 1928

Note: First found in Latvia in 2005 SE of Rēzekne (E Latvia).

*Bagous collignensis* (Herbst, 1797)

Note: Discovered in central Latvia in 2005.

*Bagous frit* (Herbst, 1795)

Note: Discovered in eastern Latvia (Pelēči vill.) in May, 2005.

*Bagous puncticollis* Boheman, 1845

Note: Found in central Latvia in 2005.

*Sibinia phalerata* (Gyllenhal, 1836)

Note: Discovered in SE Latvia (Višķi) in May, 2005.

*Sibinia subelliptica* (Desbrochers, 1873)

Note: First found in NW Latvia (Slīteres NP) in June, 2005.

*Rhinusa thapsicola* (Germar, 1821)

Note: First found in Latvia in May, 2005 S of Rēzekne (E Latvia).

*Amalorrhynchus melanarius* (Stephens, 1831)

Note: Discovered in E Latvia (Barkava vill.) in May, 2005.

*Marmaropus besseri* Gyllenhal, 1837

Note: Collected from two sites in eastern Latvia in May, 2005.

*Ceutorhynchus molleri* Thomson, 1868

Note: Discovered from several sites along W coast of Latvia in June, 2005.

*Ceutorhynchus pleurostigma* (Marsham, 1802)

= *sulcicollis* Gyllenhal, 1836

Note: Omitted species in the catalogue (Telnov, 2004) from a more than 50 years old publication.

*Ceutorhynchus puncticollis* Boheman, 1845

Note: Found on several sites in eastern and SW parts of Latvia in May and June, 2005.

*Ceutorhynchus scapularis* Gyllenhal, 1837

Note: Discovered in central Latvia in 2005.

*Ceutorhynchus similis* Brisout de Barneville, 1869

Note: First collected in SW Latvia (Pape vill.) in June, 2005.

*Calosirus apicalis* (Gyllenhal, 1827)

Note: Found on two sites in eastern Latvia in May and June, 2005.

### **Scolytidae**

*Xyleborinus saxesenii* (RATZEBURG, 1837)

Note: Discovered in central Latvia (Ulbroka env.) in 2008. The North border of main distribution area.