

SPECIES TO BE DELETED from Latvian list

(compiled by Dmitry Telnov; state: 22.IX.2018)

Staphylinidae

Stenus mendicus Erichson, 1840 (misidentification of *S. morio* Gravenhorst).

Cerambycidae

Leiopus nebulosus (Linnaeus, 1758)

Note: All Latvian specimens previously identified as *L. nebulosus* in fact refer to *L. linnei*.

Chrysomelidae

Labidostomis lucida axillaris (Lacordaire, 1848)

Cryptocephalus chrysopus (Gmelin, 1788)

Cryptocephalus elegantulus Gravenhorst, 1807

Cryptocephalus populi Suffrian, 1848

Cryptocephalus pygmaeus Fabricius, 1792

Cryptocephalus rufipes (Goeze, 1777)

Cryptocephalus signatifrons Suffrian, 1847

Ochrosis ventralis (Illiger, 1807)

Chaetocnema compressa (Letzner, 1847) (misidentification)

Crepidodera lamina (Bedel, 1901) (misidentification)

Aphthona cyparissiae (Koch, 1803) (misidentification)

Batophila fallax Weise, 1888 (misidentification)

Dibolia timida (Illiger, 1807) (misidentification)

Longitarsus echi (Koch, 1803) (misidentification)

Longitarsus fuscoaeneus Redtenbacher, 1849 (misidentification)

Longitarsus helvolus Kutschera, 1863 (misidentification)

Longitarsus longipennis Kutschera, 1863 (misidentification)

Longitarsus minusculus (Foudras, 1860) (misidentification)

Longitarsus monticola Kutschera, 1863 (misidentification)

Longitarsus nanus (Foudras, 1860) (misidentification)

Longitarsus obliteratus (Rosenhauer, 1847) (misidentification)

Longitarsus quadriguttatus (Pontoppidan, 1765) (misidentification)

Longitarsus scutellaris (Mulsant et Rey, 1874) (misidentification)

Altica ampelophaga Guérin-Méneville, 1858 (misidentification)

Psylliodes cupreata (Duftschmid, 1825) (misidentification)

Psylliodes reitteri Weise, 1888 (misidentification)

Cassida atrata Fabricius, 1787 (misidentification)

Cassida subreticulata Suffrian, 1844 (misidentification)

Curculionidae

Stephanocleonus tetragrammus (Pallas, 1781) (misidentification)

NEW RECORDS FOR LATVIA

(compiled by Dmitry Telnov; state: 01.I.2019)

Carabidae

Bembidion (Philochtus) inoptatum Schaum, 1857

Note: Discovered in eastern Latvia (Gulbene env.) in May, 2005. North border of main distribution area.

Bembidion (Ocydromus) obscurellum obscurellum Motschulsky, 1845

Note: Discovered in central Latvia (Kandava env.) in June, 2005. North border of main distribution area.

Bembidion (Emphanes) minimum (Fabricius, 1792)

Note: Found in eastern Latvia (Gulbene env.) in May, 2003. North border of main distribution area.

Tachys (Paratachys) micros Fischer-Waldheim, 1828

Note: Found in central Latvia (Rīga city) in May, 2003. North border of main distribution area.

Dolichus halensis (Schaller, 1783)

Note: Discovered in central Latvia in 2009 (Salaspils env.). North border of main distribution area.

Harpalus honestus honestus (Duftschmid, 1812)

Note: First collected in S Latvia (Auce) in 1940. Omitted by all previous authors.

Harpalus modestus Dejean, 1829

Note: First published for Latvia in 2008.

Dromius laeviceps Motschulsky 1850

Note: Discovered in E Latvia (River Pededze valley) in 2006.

Dytiscidae

Hydroporus scalesianus Stephens, 1828

Note: Discovered from several sites in eastern and central Latvia in 2005.

Hydaticus continentalis Balfour-Browne, 1944

Note: First found in Latvia in June, 2005.

Scydmaenidae

Euconus pubicollis (Müller et Kunze, 1822)

Note: First collected in central Latvia (Mežotne env.) in 2006.

Euconus rutilipennis (Müller, Kunze, 1822)

Note: Found in N Latvia (Sedas bog) in May/June, 2003.

Leiodidae

Leiodes obesa (Schmidt, 1841)

Note: Found in NE Latvia (Randu coastal meadows) in June, 2000.

Leiodes oblonga (Erichson, 1845)

Note: First collected in central Latvia (Rīga city) in 2008.

Agathidium pisanum Brisout de Barneville, 1872

Note: Found in central Latvia (Cekule vill.) in May, 2003. Since that found on several places in the country.

Histeridae

Hister funestus Erichson, 1834

Note: Discovered in central Latvia in 2005.

Colonidae

Colon puncticolle Kraatz, 1850

Note: First found in surroundings of Riga in 2006.

Cholevidae

Choleva spinipennis Reitter, 1890

Note: Found in central Latvia (Rīga city) in June, 2004.

Ptomaphagus sericatus (Chaudoir, 1845)

Note: Found in central Latvia in 2005.

Corylophidae

Clypastraea pusilla (Gyllenhal, 1810)

Note: More than 100 years old record from central Latvia (vicinities of Rīga) omitted by the author of the "Check-List".

Hydrophilidae

Laccobius albipes Kuwert, 1890

Note: Collected in NW Latvia in 2005.

Laccobius decorus (Gyllenhal, 1827)

Note: Found in central Latvia in 2005.

Laccobius sinuatus Motschulsky, 1849

Note: Found in central Latvia in 2005.

Helochares punctatus Sharp, 1869

Note: Collected in central Latvia in 2005.

Cryptopleurum subtile Sharp, 1884

Note: Discovered in central Latvia in 2005.

- *Hydrochara flavipes* (Steven, 1808)

Note: More than 100 years old unconfirmed record.

Paracymus aeneus (Germar, 1824)

Note: First found in W Latvia (Talsi env.) in 2009.

Cryptopleurum subtile Sharp, 1884

Note: Found in Central Latvia in 2014.

Limnebius aluta (Bedel, 1881)

Note: Found in Central Latvia in 2008.

Helophoridae

Helophorus (Rhopalohelophorus) arvernicus Mulsant, 1846

Note: Found in central Latvia (Sigulda env.) in June, 2005.

Helophorus (Rhopalohelophorus) croaticus Kuwert, 1886

Note: Discovered in central and eastern Latvia in 2005.

Helophorus pumilio Erichson, 1837

Note: Discovered in E Latvia in 2005.

Hydrochidae

Hydrochus megaphallus Berge Henegouwen, 1988

Note: Discovered from two sites in eastern Latvia in 2005.

Hydraenidae

Limnebius aluta Bedel, 1881

Note: Found in eastern Latvia (Rēzekne env.) in May, 2005.

Limnebius atomus (Duftschmid, 1805)

Note: Discovered in central Latvia in 2005.

Hydraena britteni Joy, 1907

Note: Found in central Latvia in 2005.

Hydraena flavipes Sturm, 1836

Note: Discovered in central Latvia in 2005.

Ochthebius bicolon Germar, 1824

Note: Discovered in central Latvia in 2005.

Ochthebius flavipes Dalla Torre, 1877

Note: Collected in central Latvia in 2005.

Ochthebius hungaricus Endrödy-Younga, 1967

Note: Discovered in central Latvia in 2005.

Ptiliidae

Ptenidium fuscicorne Erichson, 1845

Note: Collected in central and W Latvia in 2005.

Ptenidium punctatum (Gyllenhal, 1827)

Note: Found in central Latvia in 2005.

Actidium reticulatum Besuchet, 1971

Note: Found in N Latvia in 2005.

Ptinella limbata (Heer, 1841)

Note: Discovered in N Latvia (Mazsalaca env.) in 2006.

Ptinella tenella (Erichson, 1845)

Note: Found in central Latvia (Garupe) in 2005.

Euryptilium saxonicum (Gillmeister, 1845)

Note: First collected in central Latvia (Tumšupe env.) in 2008.

Baeocrara variolosa (Mulsant, Rey, 1867)

Note: Discovered in different parts of the country in 2005.

Acrotrichis insularis (Mäklin, 1852)

Note: Found in E Latvia (Gulbene env.) in 2005.

Acrotrichis pumila (Erichson, 1845)

Note: Found in Central Latvia in 2009.

Acrotrichis rosskotheni Sundt, 1971

Note: Discovered in different parts of the country in 2005.

Acrotrichis rugulosa Rosskothén, 1935

Note: First collected in N Latvia (Tūja env.) in 2007.

Acrotrichis silvatica Rosskothén, 1935

Note: Discovered in central Latvia (Tumšupe env.) in 2008.

Staphylinidae

Neobisnius lathrobioides (Baudi, 1848)

Note: Found in central Latvia in 2005.

Philonthus chalceus Stephens, 1832

Note: Omitted species, first published in 1979.

Philonthus furcifer Renkonen, 1937

Note: Collected in East part of Latvia (Dunava env.).

Philonthus nitidicollis (Lacordaire, 1835)

Note: Collected in SE part of Latvia.

Philonthus spinipes Sharp, 1874

Note: Collected in SE part of Latvia.

Gabrius expectatus Smetana, 1952

Note: Collected in SE part of Latvia.

Quedius persimilis Mulsant, Rey, 1876

Note: Collected in SE part of Latvia.

Quedius scintillans (Gravenhorst, 1806)

Note: Collected in SE part of Latvia.

Othius volans J.Sahlberg, 1876

Note: First found in W Latvia (Irbene vill.) in 2006.

Lithocharis nigriceps Kraatz, 1859

Note: First discovered in N part of Latvia in 2008.

Bryoporus cernuus (Gravenhorst, 1806)

Note: Found in West part of Latvia (Moricsala State reserve) in 2002 and 2003.

Paederus limnophilus Erichson, 1840

Note: Omitted species.

Stenus formicetorum Mannerheim, 1843

Note: Collected in E Latvia in 2005.

Stenus fossulatus Erichson, 1840

Note: Discovered in NW Latvia (Slīteres NP) and in central Latvia (Sigulda) in June, 2005.

Stenus glabellus Thomson, 1870

Note: Collected in central Latvia in 2005.

Mycetoporus bimaculatus Lacordaire, 1835

Note: Found in 2002.

Sepedophilus marshami (Stephens, 1832)

Note: Found in central Latvia (Cekule vill. env.) in July, 2004. North border of main distribution area.

Tachinus schneideri Luze, 1900

Note: Found in 2003.

Tachyporus formosus Matthews, 1838

Note: Found in NE Latvia.

Tachinus scapularis Stephens, 1832

Note: widespread in Latvia.

Tachyporus tersus Erichson 1839

Note: Discovered in N Latvia (Ainaži vill.) in 2007.

Astenus lyonessius (Joy, 1908)

Note: Found in central Latvia (Cekule vill. env.) in July, 2004. North border of main distribution area.

Lathrobius castaneipenne Kolenati, 1846

Note: Found in S Latvia in 1972.

Lathrobium rufonitidm Reitter, 1909

Note: Collected in central Latvia in 2005.

Omalium septentrionis Thomson, 1857

Note: Found in eastern Latvia (Gulbene env.) in June, 2003.

Eucnecosum brachypterum (Gravenhorst, 1802)

Note: Found in eastern Latvia (Gulbene env.) in 2005.

Anotylus clavatus (Strand, 1946)

Note: Collected in SW Latvia (Pape vill.) in 2005.

Thinodromus arcuatus (Stephens, 1834)

Note: Found in central Latvia in 2005.

Carpelimus obesus (Kiesenwetter, 1844)

Note: First collected in Central Latvia (Ulbroka env.) in 2007.

Carpelimus similis (Smetana, 1966)

Note: Found in central Latvia in 2005.

Carpelimus subtilis (Erichson, 1839)

Note: Found in central Latvia in 2005. North border of main distribution area.

Megarthritis sinuaticollis (Lacordaire, 1835)

Note: Omitted species in the catalogue (Telnov, 2004).

Gyrophynus liebei Scheerpeltz, 1926

Note: First discovered in vicinities of Rīga in 2008.

Xantholinus audrasi Coiffait, 1956

Note: First discovered from several localities in E Latvia.

Bledius annae Sharp, 1911

Note: Found in central Latvia in 2005.

Bryophaeis rufus (Erichson, 1839)

Note: Collected in central Latvia (Ādaži surrounding) in 2007.

Aleochara moesta Gravenhorst, 1802

Note: Collected in central and eastern Latvia in 2005.

Aleochara stichai Likovsky, 1965

Note: Collected in NE Latvia in 2006.

Gyrophæna joyioides Wüsthoff, 1937

Note: Discovered in central Latvia in 2005.

Gyrophæna munsteri Strand, 1935

Note: Collected in central Latvia in 2005.

Gyrophæna strictula Erichson, 1839

Note: Discovered in central Latvia in 2005.

Lomechusoides strumosus (Fabricius, 1792)

Note: Discovered in central Latvia in 1973, never been published before.

Thyasophila inquilina (Märkel, 1842)

Note: Found in central Latvia (Rīga city) in 2008.

Meotica exilis (Knoch, 1806)

Note: Found in central and N Latvia in 2005.

Meotica pallens (Redtenbacher, 1849)

Note: Collected in Ādaži NATURA2000 territory in 2006.

Meotica finnmarkia G.Benick, 1953

Note: Found in central Latvia in 2005.

Gnypeta carbonaria (Mannerheim, 1830)

Note: Found in central Latvia in 2005.

Gnypeta coerulea (Sahlberg, 1831)

Note: Found in central Latvia (Cekule vill.) in June, 2004.

Oxypoda bicolor Mulsant, Rey, 1853

Note: First found in 2005 in E Latvia (Gulbene district).

Oxypoda procerula Mannerheim, 1830

Note: Found in 2003.

Oxypoda rufa Kraatz, 1856

Note: Collected in Central Latvia (Ulbroka env.) in 2007.

Oxypoda soror Thomson, 1855

Note: Found in 2002.

Oxypoda vicina Kraatz, 1856

Note: Found in 2003.

Ilyobates bennetti Donisthorpe, 1914

Note: Collected in central and northern Latvia in 2006.

Dochmonota clancula (Erichson, 1837)

Note: Discovered in central and E Latvia in 2005.

Hydrosmeeta longula (Heer, 1839)

Note: Discovered in central Latvia in 2005.

Schistoglossa aubei (Brisout de Barneville, 1860)

Note: Collected in central Latvia 2005.

Schistoglossa curtipennis (Sharp, 1869)

Note: Discovered in central and N Latvia 2005.

Schistoglossa viduata (Erichson, 1837)

Note: Discovered in central Latvia 2005.

Aloconota insecta (Thomson, 1856)

Note: Collected in central Latvia 2005.

Aloconota sulcifrons (Stephens, 1832)

Note: Collected in central Latvia 2005.

Devia prospera (Erichson, 1837)

Note: Found in 2003.

Phloeopora concolor Kraatz, 1856

Note: Found in 2003.

Dasygnypeta velata (Erichson, 1837)

Note: Found in 2003.

Alaobia pallidicornis (Thomson, 1856)

Note: Collected in NW and central Latvia in 2005.

Atheta (Mocyta) negligens (Mulsant, Rey, 1873)

Note: Found in central Latvia (Cekule vill. env.) in July, 2004. North border of main distribution area.

Atheta (Philhygra) debilis (Erichson, 1837)

Note: Found in SE Latvia in 2005.

Atheta (Philhygra) hygrobica (Thomson, 1856)

Note: Found in SE Latvia in 2005.

Atheta (Phylhygra) gyllenhalii (Thomson, 1856)

Note: Found in SE and central Latvia in 2005.

Atheta (Phylhygra) malleus Joy, 1913

Note: Found in SE Latvia in 2005.

Atheta (Philhygra) palustris (Kiesenwetter, 1844)

Note: Found in W Latvia (Puze vill.) in August, 2004.

Atheta (Philhygra) ripicola Hanssen, 1932

Note: Found in SE Latvia in 2005.

Atheta aquatica (Thomson, 1852)

Note: Discovered in NW Latvia (Slīteres NP) in August, 2004.

Atheta autumnalis (Erichson, 1839)

Note: Found in NE Latvia (Randu coastal meadows) in 2004.

Atheta britanniae Bernhauer, Scheerpeltz, 1926

Note: Discovered in 2005 in eastern Latvia (Gulbene district).

Atheta boletophila (Thomson, 1856)

Note: Found in W Latvia in 2002.

Atheta coriaria (Kraatz, 1856)

Note: Found in W Latvia in 2002.

Atheta excellens (Kraatz, 1858)

Note: Found in SE Latvia in 1992.

Atheta fungicola (Thomson, 1852)

Note: Found in central Latvia in 2005.
Atheta harwoodi Williams, 1930

Note: Discovered in 2005 in E and NE Latvia.
Atheta hypnorum (Kiesenwetter, 1850)

Note: Found in 2003.
Atheta incognita (Sharp, 1869)

Note: Collected in SE part of Latvia.
Atheta liturata (Stephens, 1832)

Note: Discovered in central Latvia (Sigulda) in June, 2005.
Atheta monticola (Thomson, 1852)

Note: Found in SE Latvia in 1992.
Atheta nigra (Kraatz, 1856)

Note: Found in 2003.
Atheta paracrassicornis Brundin, 1954

Note: Collected in NE Latvia in 2006.
Atheta strandiella Brundin, 1954

Note: Found in 2003.
Microdota indubia (Sharp, 1869)

Note: Discovered in Central Latvia (Koknese env.) in 2006.
Acrotona exigua (Erichson, 1837)

Note: Collected in Central Latvia in 2006 & 2008.
Acrotona convergens (Strand, 1958)

Note: Collected in central Latvia in 2005.
Atheta ischnocera Thomson, 1870

Note: Found in SE Latvia in 1995.
Acrotona obfuscata (Gravenhorst, 1802)

Note: Discovered in central and northern Latvia in 2005.
Xenota myrmecobia (Kraatz, 1856)

Note: Discovered in 2005 in E Latvia (Gulbene district).
Alianta incana (Erichson, 1837)

Note: Collected in central Latvia in 2005.
Pachnida nigella (Erichson, 1837)

Note: Discovered in E and SE parts of Latvia in 1995 and 1999.
Amischa decipiens (Sharp, 1869)

Note: Found in 2002.
Amischa nigrofusca (Stephens, 1832)

Note: Found in 2002.
Oligota pumilio Kiesenwetter, 1858

Note: Found in 2002.
Oligota punctulata Heer, 1839

Note: Found in 2002.
Thinobius brevipennis Kiesenwetter, 1850

Note: Discovered in SE Latvia in 2005.
Thinobius flagellatus Lohse, 1984

Note: Collected in NW Latvia in 2005.
Cypha suecica (Palm, 1935)

Note: Discovered in central Latvia in 2005.
Myllaena infuscata Kraatz, 1853

Note: Found in central Latvia in 2006.
Myllaena gracilis (Matthews, 1838)

Note: Discovered in E Latvia in 2005.
Myllaena kraatzi Sharp, 1871

Note: Found in 2003.
Micropeplus longipennis Kraatz, 1859

Note: Found in N Latvia in 2005.
Euasthetus laeviusculus Mannerheim, 1844

Note: Collected in central Latvia in 2005.

Holobus apicatus (Erichson, 1837)

Note: Found in Central Latvia (Ogre) in 2006.

Phyllodrepa puberula Bernhauer, 1903

Note: Discovered in Central Latvia (Ogre env.) in 2006.

Dacrila fallax (Kraatz, 1856)

Note: First collected in W Latvia (Mērsrags vill.) in 2006.

Pselaphidae

Euplectus nanus (Reichenbach, 1816)

Note: Found in 1999.

Batrisodes adnexus (Hampe, 1863)

Note: Collected in NW Latvia in 2005.

Batrisodes hubenthalii Reitter, 1913

Note: Found in central Latvia (Cekule vill.) in May, 2003.

Bythinus macropalpus Aubé, 1833

Note: Found in central Latvia (Cekule vill.) in May, 2003.

Bryaxis clavicornis (Panzer, 1805)

Note: Collected in central Latvia in 2005.

Bibloporus minutus Raffray, 1914

= *hoeglundi* Palm, 1948

Note: Found in E Latvia (River Pededze valley) in 2006.

Trichonyx sulcicollis (Reichenbach, 1816)

Note: Collected in central Latvia (Melbārži vill.) in 2008. The North border of main distribution area.

Clambidae

Clambus nigrellus nigrellus Reitter, 1914

Note: Found in central Latvia in 2005.

Byrrhidae

Simplocaria maculosa Erichson, 1847

Note: Discovered in central Latvia in 2005.

Dermestidae

Dermestes bicolor Fabricius, 1791

Note: Found in South Latvia (Jelgava) in November, 2004.

Reesa vespulae (Milliron, 1939)

= *vespula* (Spencer, 1948)

Note: Found in Latvia in several places in the Rīga city in June, 2004. Imported species.

Megatoma graeseri (Reitter, 1887)

Note: Found in central Latvia (Cēsis env.).

Anthrenus (Florilinus) caucasicus Reitter, 1881

Note: Omitted species, first mentioned for Latvia in 1941.

Anthrenus (Nathrenus) verbasci (Linnaeus, 1767)

Note: Known from single locality in SE Latvia (Silene env.).

Lycidae

Platycis cosnardi (Chevrolat, 1829)

Note: First published for Latvia in 2008.

Buprestidae

Agrilus sinuatus (Olivier, 1790)

Note: Discovered in E Latvia (river Pededze valley) in 2001.

Trachys pumilus (Illiger, 1803)

Note: Discovered in E Latvia (Jēkabpils) in 2012.

Elateridae

Ampedus vandalitae Lohse, 1976

Note: Collected in SE part of Latvia.

Ampedus bouweri Schimmel, 1984

Note: Collected in SE part of Latvia.

Ampedus nemoralis Bouwer, 1980

Note: Collected in SE part of Latvia.

Calambus bipustulatus (Linnaeus, 1767)

Note: Re-discovered in E Latvia (river Pededze valley) in May, 2005.

Adrastus lacertosus Erichson, 1841

Note: Found in central Latvia (Gaujas NP, Sigulda) in July, 2004. North-West border of main distribution area.

Eucnemidae

Isoriphis marmottani (Bonvouloir, 1871)

Note: Found in central Latvia in 2011.

Throscidae

Trixagus meybohmi Leseigneur, 2005

Note: Found in Central Latvia (Jēkabpils) in August, 2006. New to the Eastern Europe, Fennoscandia and Baltia. North-East border of main distribution area.

Aulonothroscus laticollis (Rybiński, 1897)

Note: Discovered in NE Latvia in 2012.

Lyctidae

Lyctus pubescens Panzer 1793

Note: Found in S Latvia in 2010.

Anobiidae

Grynobius planus (Fabricius, 1787)

= *excavatus* (Kugelann, 1792)

= *tricolor* (Olivier, 1790)

Note: Discovered in E Latvia (river Pededze valley) in July, 2005.

Xyletinus hanseni Jansson, 1947

Note: Found in SW Latvia (Liepāja env.) in June, 2005.

Dorcatoma lomnickii Reitter, 1903

Note: Collected in E Latvia (river Pededze valley) in July, 2006.

Pseudeurostus hilleri (Reitter, 1877)

Note: Found in NW Latvia in 2012.

Ozognathus cornutus (LeConte, 1859)

Note: Found in Central Latvia in 2015.

Cantharidae

Malthinus seriepunctatus Kiesenwetter, 1851

Note: Found in NW Latvia (Slīteres NP at Slītere vill.) in July, 2004. North border of main distribution area.

Dasytidae

Aplocnemus (Aplocnemus) impressus (Marsham, 1802)

Note: Discovered in 1999 and 2002 in Central (Garupe, Rīga Gulf dunes) and NW (Slīteres NP) Latvia

Kateretidae

Kateretes dalmatinus (Sturm, 1844)

Note: Found in E Latvia. The North border of main distribution area.

Nitidulidae

Pocadius adustus Reitter, 1888

Note: Discovered in N Latvia in 2006.

Carpophilus marginellus Motschulsky, 1858

Note: Found in Central Latvia in 2006.

Epuraea (Micruria) melanocephala (Marsham, 1802)

= *affinis* Stephens, 1830

= *brunnea* Heer, 1841

= *discolor* Waltl, 1838

= *ferruginea* Heer, 1841

= *truncata* Stephens 1830

Note: Found in central Latvia (Cekule vill.) in July, 2004.

Glischrochilus grandis (Tournier, 1872)

Note: Discovered in S and Central Latvia in 2004 & 2005.

Glischrochilus (Librodor) quadrisignatus (Say, 1835)

Note: Found in central Latvia (Cekule vill.) in June, 1998, and identified in 2005.

Meligethes (Clypeogethes) erysimicola Audisio et De Biase in Audisio, De Biase, Antonini, Belfiore et Oliviero, 2001

Note: Found in central Latvia (Gauja NP) in 2005.

Monotomidae

Rhizophagus brancsiki Reitter, 1905

Note: Discovered in S Latvia in 2006.

Cucujidae

Pediacus depressus (Herbst, 1794)

Note: Found in Central Latvia (Dole island) in 2007. The North border of main distribution area.

Cryptophagidae

Cryptophagus (Cryptophagus) confusus Bruce, 1934

Note: Discovered in N Latvia (Valmiera district) in June, 2005.

Cryptophagus denticulatus Heer, 1841

Note: Found in E Latvia (Rēzekne env.) in July, 2006.

Cryptophagus punctipennis Brisout de Barneville, 1863

Note: Found in S Latvia in 2012.

Cryptophagus quercinus Kraatz, 1852

Note: Discovered in E Latvia (river Pededze valley) in May, 2005.

Cryptophagus reflexus Rey, 1889

Note: Discovered in NW Latvia in 2013

Cryptophagus (Cryptophagus) setulosus Sturm, 1845

Note: Found in central Latvia (Cēsis city, Gaujas NP) in June, 2004, and identified in 2005.

Atomaria elongatula Erichson, 1846

Note: Discovered in N Latvia (Staicele env.) in July, 2003.

Colydiidae

Aulonium trisulcum (Geoffroy, 1785)

Note: Found in Central Latvia (Garkalne env.) in 2014.

Laemophloeidae

Cryptolestes testaceus (Fabricius, 1792)

Note: Omitted species in the catalogue (Telnov, 2004), first mentioned for Latvia in 1941.

Cryptolestes turcicus (Grouvelle, 1876)

Note: Omitted species, first mentioned for Latvia in 1941.

Phalacridae

Phalacrus dieckmanni Vogt, 1967

= *grossus* Erichson, 1845

Note: Found in central Latvia (Cekule vill.) in September, 2004, and identified in 2005.

Phalacrus nigrinus Marsham, 1802

Note: Found in central Latvia in 2005.

Latridiidae

Latridius gemellatus (Mannerheim, 1844)

Note: Discovered in May, 2008 in Central Latvia (around Rīga).

Corticaria lapponica (Zetterstedt, 1838)

Note: Discovered in May, 2008 in Central Latvia (around Rīga).

Melanophthalma maura Motschulsky, 1866

Note: Discovered in July, 2008 in NE Latvia (Alūksne).

Melanophthalma suturalis (Mannerheim, 1844)

Note: Discovered in July, 2004 in extreme S of the country (Bauska env.).

Ciidae

Orthocis lucasi (Abeille de Perrin, 1874)

Note: Discovered in Latvia in 2005. The North border of main distribution area.

Oedemeridae

Oedemera subrobusta (Nakane, 1954)

Note: Found in different parts of Latvia, first published in 2008.

Mordellidae

Curtimorda bisignata (Redtenbacher, 1849)

Note: First found in Latvia in 2005. The North border of main distribution area.

Mordella brachyura brachyura Mulsant, 1856

Note: Discovered in Central Latvia in 1930.

Mordellistena pygmaeola Ermisch, 1956

Note: Found in E Latvia in 2006.

Tenebrionidae

Blaps lethifera lethifera Marsham, 1802

Note: Found in central Latvia (Rīga city) in April, 1997, and identified in 2005. Imported species.

Corticeus fasciatus (Fabricius, 1790)

Note: Discovered in W Latvia (Rakūpe PNT) in May, 2006.

Cerambycidae

Grammoptera ustulata (Schaller, 1783)

Note: Found in SE Latvia in 2013.

Nivellia sanguinosa (Gyllenhal, 1827)

Note: Discovered in NW Latvia (Dundaga env.) in 2015.

Leiopus linnei Wallin, Nylander et Kvamme, 2009

Note: Very common and widespread species in Latvia.

Axinopalpis gracilis (Krynicky, 1832)

Note: First found in extreme SE Latvia.

Ropalopus (Ropalopus) macropus (Germar, 1824)

Note: Re-discovered in Latvia in June, 2004. Known from a single locality in extreme S of the country. The North border of main distribution area.

Monochamus saltuarius Gebler, 1830

Note: Discovered in Latvia in June, 2004 and additional specimens collected in 2018, all in central Latvia.

Aegomorphus wojtylai Hilszczański, Bystrowski, 2005

Note: Found in E Latvia in 2005.

Agapanthia violacea (Fabricius, 1775)

Note: Found in SE Latvia in 2013.

Phytoecia pustulata (Schrank, 1776)

Note: Found in SE Latvia in 2013.

Chrysomelidae

Oulema septentrionis (Weise, 1880)

Note: Discovered in E Latvia in 2010.

Cryptocephalus solivagus Leonardi, Sassi, 2001

Note: First found in Central Latvia in 2008.

Chrysolina coerulans coerulans (Scriba, 1791)

Note: First found in extreme SE Latvia (Ilgas vill. env.) in 1991.

Altica impressicollis (Reiche, 1862)

Note: Collected in central Latvia (Sigulda) in 2003. The North border of main distribution area.

Argopus nigratarsis (Gebler, 1823)

Note: First found in SE Latvia (Rēzekne env.) in 2007. The North border of main distribution area.

Hermaeophaga mercurialis (Fabricius, 1792)

Note: First found in SE Latvia (Daugavpils env.) in 2007. The North border of main distribution area.

Phyllotreta astrachanica Lopatin, 1977

Note: Collected in NW Latvia in 2009.

Longitarsus kutscherai (Rye, 1872)

Note: Found in central Latvia (Ulbroka env.) in 2004.

Longitarsus lewisii (Baly, 1874)

Note: First recorded in 2010.

Longitarsus echii (Koch, 1803)

Note: Omitted species.

Longitarsus noricus Leonardi, 1976

Note: Omitted species.

Aphthona atrocaerulea (Stephens, 1831)

Note: Discovered in E Latvia in 2009.

Anthribidae

Tropideres albirostris (Herbst, 1783)

Note: Found in central Latvia (Sabile env.) in June, 2005.

Araecerus fasciculatus DeGeer, 1775

Note: Omitted species in the catalogue (Telnov, 2004), first mentioned for Latvia in 1941.

Apionidae

Omphalapion buddebergi (Bedel, 1887)

Note: First found in Latvia in 2005 xeric habitats near of Rēzekne (E Latvia).

Diplapion detritum (Mulsant, Rey, 1858)

Note: Collected in 2005 on several places from xeric habitats in E and SE Latvia.

Apion ononis Kirby, 1808

Note: Found in 2005 on numerous localities in central, western and eastern Latvia.

Apion oblivium Schilsky, 1902

Note: Collected in June, 2005 in the Gaujas NP near Sigulda (central Latvia).

Catapion meieri (Desbrochers, 1899)

Note: Collected on different places in E and central Latvia in 2005.

Eutrichapion melancholicum (Wencker, 1864)

Note: Found in June, 2005 on few sites in E and NW Latvia.

Eutrichapion punctigerum (Paykull, 1792)

Note: Found in May, 2005 on two sites in E Latvia.

Curculionidae

Sitophilus zeamais (Motschulsky, 1855)

Note: Omitted species, first mentioned for Latvia in 1941.

Sitona cinerascens (Fähræus, 1840)

Note: Found in Central Latvia (lake Engures) in July, 2004.

Sitona gressorius (Fabricius, 1792)

Note: Discovered in central Latvia (Silciems) in June, 2005.

Cyphocleonus trisulcatus (Herbst, 1795)

Note: Found in SW Latvia (Liepāja env.) in June, 2005.

Hypera denominanda (Capiomont, 1868)

Note: Discovered in central Latvia (Silciems) in June, 2005.

Tanysphyrus ater Blatchley, 1928

Note: First found in Latvia in 2005 SE of Rēzekne (E Latvia).

Larinus turbinatus Gyllenhal, 1835

Note: Collected in Central and Eastern Latvia.

Bagous collignensis (Herbst, 1797)

Note: Discovered in central Latvia in 2005.

Bagous frit (Herbst, 1795)

Note: Discovered in eastern Latvia (Pelēči vill.) in May, 2005.

Bagous elegans (Fabricius, 1801)

Note: First found in Central Latvia (Lake Lubāns).

Bagous puncticollis Boheman, 1845

Note: Found in central Latvia in 2005.

Sibinia phalerata (Gyllenhal, 1836)

Note: Discovered in SE Latvia (Višķi) in May, 2005.

Sibinia subelliptica (Desbrochers, 1873)

Note: First found in NW Latvia (Slīteres NP) in June, 2005.

Rhinusa thapsicola (Germar, 1821)

Note: First found in Latvia in May, 2005 S of Rēzekne (E Latvia).

Amalorrhynchus melanarius (Stephens, 1831)

Note: Discovered in E Latvia (Barkava vill.) in May, 2005.

Marmaropus besseri Gyllenhal, 1837

Note: Collected from two sites in eastern Latvia in May, 2005.

Ceutorhynchus molleri Thomson, 1868

Note: Discovered from several sites along W coast of Latvia in June, 2005.

Ceutorhynchus pleurostigma (Marsham, 1802)

= *sulcicollis* Gyllenhal, 1836

Note: Omitted species in the catalogue (Telnov, 2004) from a more than 50 years old publication.

Ceutorhynchus puncticollis Boheman, 1845

Note: Found on several sites in eastern and SW parts of Latvia in May and June, 2005.

Ceutorhynchus scapularis Gyllenhal, 1837

Note: Discovered in central Latvia in 2005.

Ceutorhynchus similis Brisout de Barneville, 1869

Note: First collected in SW Latvia (Pape vill.) in June, 2005.

Calosirus apicalis (Gyllenhal, 1827)

Note: Found on two sites in eastern Latvia in May and June, 2005.

Scolytidae

Xyleborinus saxesenii (RATZEBURG, 1837)

Note: Discovered in central Latvia (Ulbroka env.) in 2008. The North border of main distribution area.